

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("705"/\$\$.ccls. and (@ad<"20011023").ad. and (own or ownership\$1) with communications adj network and configuration with performance and (cost\$3 or pric\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 11:54
L2	45	("705"/\$\$.ccls. and (@ad<"20011023").ad. and communications adj network and configuration with performance and (cost\$3 or pric\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 12:57
L3	46	("707"/\$\$.ccls. and (@ad<"20011023").ad. and communications adj network and configuration with performance and (cost\$3 or pric\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:14
L4	8	("707"/\$\$.ccls. and (@ad<"20011023").ad. and communications adj network and configuration with performance same optim\$7 and (cost\$3 or pric\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:00
L5	25	("707"/\$\$.ccls. and (@ad<"20011023").ad. and communications adj network and optim\$7 with configuration and performance and (cost\$3 or pric\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:05
L6	3	("707"/\$\$.ccls. and (@ad<"20011023").ad. and optim\$7 with configuration and performance and calculator\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:07
L7	2	("707"/\$\$.ccls. and (@ad<"20011023").ad. and evaluat\$4 same optim\$7 same configuration and performance and calculator\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:08
L8	0	("707"/\$\$.ccls. and (@ad<"20011023").ad. and evaluat\$4 same optim\$7 same configuration and downtime and calculator\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:08

L9	0	("707"/\$\$.ccls. and (@ad<"20011023").ad. and evaluat\$4 same configuration and downtime and calculator\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:08
L10	5	("707"/\$\$.ccls. and (@ad<"20011023").ad. and evaluat\$4 same configuration and calculator\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:09
L11	0	("707"/\$\$.ccls. and (@ad<"20011023").ad. and configuration and calculator\$1 and tools41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:10
L12	0	("707"/\$\$.ccls. and (@ad<"20011023").ad. and configuration and calculat\$4 and tools41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:14
L13	49	("707"/\$\$.ccls. and (@ad<"20011023").ad. and communications adj network and configuration with performance and (cost\$3 or pric\$3 or calculat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:15
L14	16	("707"/\$\$.ccls. and (@ad<"20011023").ad. and communications adj network and configuration with performance and (cost\$3 or pric\$3 or calculat\$4) and startup	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:17
L15	0	("707"/\$\$.ccls. and (@ad<"20011023").ad. and communications adj network and configuration with performance and (cost\$3 or pric\$3 or calculat\$4) and startup and profit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:17
L16	1	("707"/\$\$.ccls. and (@ad<"20011023").ad. and communications adj network and configuration with performance and (cost\$3 or pric\$3 or calculat\$4) and profit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:19

L17	1884	("707"/\$\$.ccls. and (@ad<"20011023").ad. and configuration and (cost\$3 or pric\$3 or calculat\$4) and tool\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:19
L18	345	("707"/\$\$.ccls. and (@ad<"20011023").ad. and configuration and (cost\$3 or pric\$3 or calculat\$4) same performance and tool\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:23
L19	147	L18 and (saving\$1 or reduc\$5) with (labor or cost\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:21
L20	86	("707"/\$\$.ccls. and (@ad<"20011023").ad. and configuration and operation\$2 same (cost\$3 or pric\$3 or calculat\$4) same performance and tool\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:23
L21	33	("707"/\$\$.ccls. and (@ad<"20011023").ad. and configuration and operation\$2 with cost\$3 same performance and tool\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:27
L22	0	("707"/\$\$.ccls. and (@ad<"20011023").ad. and configuration and optim\$7 with cpmopnents and \$operation\$2 with cost\$3 same performance and tool\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:28
L23	12	("707"/\$\$.ccls. and (@ad<"20011023").ad. and configuration and optim\$7 with components and operation\$2 with cost\$3 same performance and tool\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:29
L24	0	("707"/\$\$.ccls. and (@ad<"20011023").ad. and configuration and optim\$7 adj component\$1 and operation\$2 with cost\$3 same performance and tool\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:29

L25	21	("707"/\$\$.ccls. and (@ad<"20011023").ad. and configuration and optim\$7 with component\$1 and operation\$2 with cost\$3 and performance and tool\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 13:30
S1	0	("705"/\$\$.ccls. and (@ad<"20011023").ad. and cost adj calculator and downtime adj cost	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/20 11:41
S2	0	("705"/\$\$.ccls. and (@ad<"20011023").ad. and cost adj calculator and downtime same cost	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/19 17:54
S3	14	("705"/\$\$.ccls. and (@ad<"20011023").ad. and cost adj calculator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/05 15:25
S4	0	("705"/\$\$.ccls. and (@ad<"20011023").ad. and cost adj calculator and configuration adj management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/19 17:56
S5	6	("705"/\$\$.ccls. and (@ad<"20011023").ad. and cost adj ownership and evaluation and return adj investment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/19 18:03
S6	1	("705"/\$\$.ccls. and (@ad<"20011023").ad. and cost adj ownership and evaluation and return adj investment and cost adj avoid\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/19 18:04
S7	0	("705"/\$\$.ccls. and (@ad<"20011023").ad. and cost adj ownership and evaluation and return adj investment and (PMR or scar or cmr)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/19 18:05
S8	1029	("705"/\$\$.ccls. and (@ad<"20011023").ad. and cost adj ownership and evaluation and return adj investment and (PMR or scar or cmr) service adj creation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/19 18:05
S9	0	("705"/\$\$.ccls. and (@ad<"20011023").ad. and cost adj ownership and evaluation and return adj investment and service adj creation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/19 18:06

S10	7	("705"/\$\$.ccls. and (@ad<"20011023").ad. and cost adj ownership and (downtime or down adj time or down-time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/19 18:07
S11	0	("705"/\$\$.ccls. and (@ad<"20011023").ad. and cost adj ownership and (downtime or down adj time or down-time) same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/19 18:13
S12	1	("705"/\$\$.ccls. and (@ad<"20011023").ad. and cost adj ownership and network same configuration same tools	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/19 18:13
S13	43163	("705"/\$\$.ccls. and (@ad<"20011023").ad. and downtime and network same configuration management and cost and calculat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/05 15:36
S14	10	("705"/\$\$.ccls. and (@ad<"20011023").ad. and downtime and network same configuration with management and cost and calculat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/05 15:37
S15	49	("705"/\$\$.ccls. and (@ad<"20011023").ad. and downtime and network and configuration with management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/14 18:54
S16	47	("705"/\$\$.ccls. and (@ad<"20011023").ad. and downtime and network and configuration with management and cost\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/05 15:42
S17	41	("705"/\$\$.ccls. and (@ad<"20011023").ad. and downtime and configuration with management and cost\$1 and (optimiz\$4 or optimal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/05 15:43
S18	1	("705"/\$\$.ccls. and (@ad<"20011023").ad. and downtime same cost and configuration with management and cost\$1 and (optimiz\$4 or optimal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/05 15:45
S19	2	("705"/\$\$.ccls. and (@ad<"20011023").ad. and downtime same cost and configuration with management and cost\$1 and (optimiz\$4 or optimal or best or effective)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/05 15:47

S20	0	("705"/\$\$.ccls. and (@ad<"20011023").ad. and downtime same cost and configuration with management and cost\$1 and (optimiz\$4 or optimal or best or effective)and return same investment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/05 15:47
S21	2	("705"/\$\$.ccls. and (@ad<"20011023").ad. and downtime same cost and configuration with management and cost\$1 and (optimiz\$4 or optimal or best or effective)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 15:53
S22	2	("707"/\$\$.ccls. and (@ad<"20011023").ad. and downtime same cost and configuration with management and cost\$1 and (optimiz\$4 or optimal or best or effective)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 15:47
S23	14	("709"/\$\$.ccls. and (@ad<"20011023").ad. and downtime same cost and configuration with management and cost\$1 and (optimiz\$4 or optimal or best or effective)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:35
S24	0	("701"/\$\$.ccls. and (@ad<"20011023").ad. and downtime same cost and configuration with management and cost\$1 and (optimiz\$4 or optimal or best or effective)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 15:52
S25	14	("709"/\$\$.ccls. and (@ad<"20011023").ad. and downtime same cost and configuration with management and cost\$1 and (optimiz\$4 or optimal or best or effective)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 15:52
S26	2	("6615166" "6615199").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/05 15:53
S27	0	("709"/\$\$.ccls. and (@ad<"20011023").ad. and downtime with cost same configuration with management and (optimiz\$4 or optimal or best or effective) same computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:36
S28	0	("709"/\$\$.ccls. and (@ad<"20011023").ad. and down adj time with cost same configuration with management and (optimiz\$4 or optimal or best or effective) same computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:37

S29	0	("709"/\$\$.ccls. and (@ad<"20011023").ad. and down adj time with cost same configuration same management and (optimiz\$4 or optimal or best or effective) same computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:37
S30	0	("705"/\$\$.ccls. and (@ad<"20011023").ad. and down adj time with cost same configuration same management and (optimiz\$4 or optimal or best or effective) same computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:37
S31	0	("705"/\$\$.ccls. and (@ad<"20011023").ad. and down adj time same cost same configuration same management and (optimiz\$4 or optimal or best or effective) same computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:37
S32	0	("705"/\$\$.ccls. and (@ad<"20011023").ad. and down adj time same cost same configuration and management and (optimiz\$4 or optimal or best or effective) same computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:38
S33	0	("705"/\$\$.ccls. and (@ad<"20011023").ad. and down same cost same configuration and management and (optimiz\$4 or optimal or best or effective) same computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:38
S34	4	("705"/\$\$.ccls. and (@ad<"20011023").ad. and down adj time and cost same configuration and management and (optimiz\$4 or optimal or best or effective) same computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:52
S35	0	("705"/\$\$.ccls. and (@ad<"20011023").ad. and cost adj calculator and network with management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:39
S36	3	("705"/\$\$.ccls. and (@ad<"20011023").ad. and cost adj calculator and network with management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:40

S37	245	("705"/\$\$.ccls. and (@ad<"20011023").ad. and cost with calculat\$4 and network with management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:41
S38	170	("705"/\$\$.ccls. and (@ad<"20011023").ad. and cost with calculat\$4 and network with management and optim\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:52
S39	13	("705"/\$\$.ccls. and (@ad<"20011023").ad. and cost with calculat\$4 and network with management same optim\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:43
S40	9	("705"/\$\$.ccls. and (@ad<"20011023").ad. and cost same calculat\$4 and network with management and downtime and optim\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:53
S41	0	("700"/\$\$.ccls. and (@ad<"20011023").ad. and cost same calculat\$4 and network with management and downtime and optim\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:45
S42	1	("707"/\$\$.ccls. and (@ad<"20011023").ad. and cost same calculat\$4 and network with management and downtime and optim\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:53
S43	1	("707"/\$\$.ccls. and (@ad<"20011023").ad. and cost same calculat\$4 and (network and configuration) with management and downtime and optim\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:47
S44	0	("701"/\$\$.ccls. and (@ad<"20011023").ad. and cost same calculat\$4 and (network and configuration) with management and downtime and optim\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:47

S45	2	("703"/\$\$.ccls. and (@ad<"20011023").ad. and cost same calculat\$4 and (network and configuration) with management and downtime and optim\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:53
S46	9	("709"/\$\$.ccls. and (@ad<"20011023").ad. and cost same calculat\$4 and (network and configuration) with management and downtime and optim\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:50
S47	2	"20030079053"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:50
S48	4	("719"/\$\$.ccls. and (@ad<"20011023").ad. and cost with calculat\$4 and network with management and optim\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:52
S49	4	("719"/\$\$.ccls. and (@ad<"20011023").ad. and down adj time and cost same configuration and management and (optimiz\$4 or optimal or best or effective) same computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:52
S50	4	("719"/\$\$.ccls. and (@ad<"20011023").ad. and cost with calculat\$4 and network with management and optim\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:52
S51	1	("719"/\$\$.ccls. and (@ad<"20011023").ad. and cost same calculat\$4 and network with management and downtime and optim\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:53
S52	1	("719"/\$\$.ccls. and (@ad<"20011023").ad. and cost same calculat\$4 and (network and configuration) with management and downtime and optim\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 18:53

S53	8	("719"/\$\$.ccls. and (@ad<"20011023").ad. and downtime and network and configuration with management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/14 18:54
S54	0	("705"/\$\$.ccls. and (@ad<"20011023").ad. and (configuration or network) adj management and tools and evaluation and efficiency and resource with (reduc\$5) and cost adj saving\$1 and operational adj cost\$3 and downtime	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/15 18:31
S55	0	("705"/\$\$.ccls. and (@ad<"20011023").ad. and (configuration or network) same management and tools and evaluation and efficiency and resource with (reduc\$5) and cost adj saving\$1 and operational adj cost\$3 and downtime	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/15 18:31
S56	0	("705"/\$\$.ccls. and (@ad<"20011023").ad. and (configuration or network) same management and tools and evaluation and resource\$ with (reduc\$5) and cost adj saving\$1 and operational adj cost\$3 and downtime	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/15 18:32
S57	1	("705"/\$\$.ccls. and (@ad<"20011023").ad. and (configuration or network) same management and tools and evaluation and resource\$ and (reduc\$5 or cost adj saving\$1) and operational adj cost\$3 and downtime	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/15 18:32
S58	2	("705"/\$\$.ccls. and (@ad<"20011023").ad. and (configuration or network) and management and tools and evaluation and (reduc\$5 or cost adj saving\$1) and operational adj cost\$3 and downtime	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/15 18:34
S59	0	("705"/\$\$.ccls. and (@ad<"20011023").ad. and (configuration or network) adj management and tool\$3 and evaluat\$4 and (reduc\$5 or cost adj saving\$1) and operational adj cost\$3 and downtime	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/15 18:35

S60	1	("705"/\$\$.ccls. and (@ad<"20011023").ad. and configuration and network and management and tool\$3 and evaluat\$4 and (reduc\$5 or cost adj saving\$1) and operational adj cost\$3 and downtime	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/15 18:36
S61	0	("705"/\$\$.ccls. and (@ad<"20011023").ad. and evaluat\$4 adj network adj configuration adj (management or tool\$3) and cost\$1 and downtime	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/15 18:37
S62	0	("703"/\$\$.ccls. and (@ad<"20011023").ad. and evaluat\$4 adj network adj configuration adj (management or tool\$3) and cost\$1 and downtime	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/15 18:38
S63	0	("703"/\$\$.ccls. and (@ad<"20011023").ad. and evaluat\$4 same network adj configuration adj (management or tool\$3) and cost\$1 and downtime	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/15 18:38
S64	0	("703"/\$\$.ccls. and (@ad<"20011023").ad. and evaluat\$4 same (network or configuration) adj (management or tool\$3) and cost\$1 and downtime	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/15 18:38
S65	2	("703"/\$\$.ccls. and (@ad<"20011023").ad. and (evaluat\$4 or determin\$3) same (network or configuration) adj (management or tool\$3) and cost\$1 and downtime	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/15 18:39
S66	4	("703"/\$\$.ccls. and (@ad<"20011023").ad. and (evaluat\$4 or determin\$3 or optim\$8 or maxim\$8) same (network or configuration) adj (management or tool\$3) and cost\$1 and downtime	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/15 18:41
S67	0	("703"/\$\$.ccls. and (@ad<"20011023").ad. and (evaluat\$4 or determin\$3 or optim\$8 or maxim\$8) same (network or configuration) adj (management or tool\$3) and downtime and operat\$4 adj cost\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/15 18:42

S68	0	("703"/\$\$.ccls. and (@ad<"20011023").ad. and (evaluat\$4 or determin\$3 or optim\$8 or maxim\$8) same (network or configuration) adj (management or tool\$3) and downtime and operat\$5 adj cost\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/15 18:42
S69	3	("703"/\$\$.ccls. and (@ad<"20011023").ad. and (evaluat\$4 or determin\$3 or optim\$8 or maxim\$8) same (network or configuration) adj (management or tool\$3) and downtime and operat\$5 with cost\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/15 18:43
S70	1	("719"/\$\$.ccls. and (@ad<"20011023").ad. and (evaluat\$4 or determin\$3 or optim\$8 or maxim\$8) same (network or configuration) adj (management or tool\$3) and downtime and operat\$5 with cost\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/15 18:43
S71	16	("709"/\$\$.ccls. and (@ad<"20011023").ad. and (evaluat\$4 or determin\$3 or optim\$8 or maxim\$8) same (network or configuration) adj (management or tool\$3) and downtime and operat\$5 with cost\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/15 18:44
S72	22	("709"/\$\$.ccls. and (@ad<"20011023").ad. and (evaluat\$4 or determin\$3 or optim\$8 or maxim\$8) same (network or configuration) adj (management or tool\$3) and downtime and operat\$5 same cost\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/15 18:46
S73	12	("709"/\$\$.ccls. and (@ad<"20011023").ad. and (evaluat\$4 or determin\$3 or optim\$8 or maxim\$8) same (network or configuration) adj (management or tool\$3) and downtime and operat\$5 same cost\$1 and calculat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/15 18:46
S74	0	("705"/\$\$.ccls. and (@ad<"20011023").ad. and down adj time same cost\$3 with own\$6 with network adj management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:13

S75	0	("705"/\$\$.ccls. and (@ad<"20011023").ad. and cost\$3 with own\$6 with network adj management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:13
S76	0	("705"/\$\$.ccls. and (@ad<"20011023").ad. and cost\$3 same own\$6 with network adj management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:14
S77	1	("705"/\$\$.ccls. and (@ad<"20011023").ad. and cost\$3 same own\$6 with communications adj network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:15
S78	1	("705"/\$\$.ccls. and (@ad<"20011023").ad. and cost\$3 same (own or ownership\$1 or purchasing) with communications adj network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:16
S79	0	("705"/\$\$.ccls. and (@ad<"20011023").ad. and cost\$3 adj (own or ownership\$1 or purchasing) with communications adj network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:16
S80	0	("705"/\$\$.ccls. and (@ad<"20011023").ad. and (cost\$3 or pric\$3 or calculat\$4) adj (own or ownership\$1 or purchasing) with communications adj network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:17
S81	1	("705"/\$\$.ccls. and (@ad<"20011023").ad. and (cost\$3 or pric\$3 or calculat\$4) and (own or ownership\$1 or purchasing) adj communications adj network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:18
S82	1818	("705"/\$\$.ccls. and (@ad<"20011023").ad. and (cost\$3 or pric\$3 or calculat\$4) with (own or ownership\$1 or purchasing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:19

S83	191	("705"/\$\$.ccls. and (@ad<"20011023").ad. and (cost\$3 or pric\$3 or calculat\$4) adj (own or ownwership\$1 or purchasing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:19
S84	0	("705"/\$\$.ccls. and (@ad<"20011023").ad. and (cost\$3 or pric\$3 or calculat\$4) adj (own or ownwership\$1 or purchasing) adj communications adj network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:19
S85	0	("705"/\$\$.ccls. and (@ad<"20011023").ad. and (cost\$3 or pric\$3 or calculat\$4) adj (own or ownwership\$1 or purchasing) with communications adj network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:20
S86	11	("705"/\$\$.ccls. and (@ad<"20011023").ad. and (own or ownwership\$1) with communications adj network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 11:53